
UNIVERSITE BIOLOGIE BRETAGNE SANTE LOIRE



Could glyphosate prime mammary cells for tumorigenesis by reprogramming the epigenome ?




CONTEXT



Is glyphosate carcinogenic by itself?


Is glyphosate carcinogenic in combination with a second oncogenic hit?


Multiple-hit theory in carcinogenesis Alfred G. Knudson, Jr. Proc Natl Acad Sci U S A. 1971 Apr




qMSRE, ELISA, ChIP, Tumor Xenografts in Nude Mice....








F




4

Exposure to glyphosate promotes TET3-mediated global DNA hypomethylation in MCF10A cells.




Global DNA hypomethylation


А



- 4 1 2 3 UP glyphosate miR-146a glyphosate +miR-146a miR-182-5p glyphosate +miR-182-5p MCF10A miR-27a glyphosate +miR-27a miR-500a-5p glyphosate +miR-500a-5p miR-30a glyphosate +miR-30a miR-495 glyphosate 6 +miR-495

В







Cells from glyphosateinduced breast tumor display characteristics of malignant cells.

в


Α




С




5-methylcytosine




DMOG, a TET inhibitor, inhibits tumor formation in glyphosate-challenged cells.





Glyphosate exposure induces sustained TET3-mediated gene demethylation.



In our study glyphosate exposure is not oncogenic by itself, but it acts as an oncogenic hit factor.

• Possibly, glyphosate-induced methylome reprogramming might be used for the detection of an increased risk for breast cancer in women living in an environment conducive to this type of pollution.

UNIVERSITE BIOLOGIE BRETAGNE SANTE

LOIRE

Acknowledgments



To co-authors...


Arulraj Nadaradjane Gwenola Bougras-Cartron Josephine Briand Christophe Olivier Jean-Sebastien Frenel Francois M Vallette Sophie A. Lelievre Pierre-Francois Cartron


...and all the team 9!



THANK YOU FOR YOUR ATTENTION


ADDITIONAL . Supplementary Figure 2B





Wi38 (Lung)			
1	2	3	4
	0		4
			-
. 1	-		
			11

ADDITIONAL . qMSRE and miR-185-5p




About miR-182-5p

 miR-182-5p-mediated disruption of the homologous recombination (HR) pathway (Krishnan et al., 2013)

• targets BRCA1 in breast cancer cells (Moskwa et al., 2011)

• CHEK2, another gene involved in the HR, is a direct target of miR-182-5p

ADDITIONAL . MethylGlypho Score



About glyphosate

- 0,1 ng/ml maximum value allowed in water
- 1.69 pg/mL in our experiments